

Zavesca Cares™

One-on-one support for
people taking Zavesca

Brought to you by Actelion
Pharmaceuticals US, Inc., the
company that makes Zavesca.



For adult patients with mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option (eg, due to constraints such as allergy, hypersensitivity, or poor venous access)

Please see Important Safety Information on back cover and accompanying full prescribing information.





real people, real answers

Zavesca Cares offers supplemental counseling and educational support services related to your Zavesca therapy, all at no cost to you.

You are eligible for Zavesca Cares if:

- You've been diagnosed with type 1 Gaucher disease
- You are taking Zavesca, and
- You are 18 years or older

Once you sign up, you can reach a Zavesca Cares educator by calling 1-855-426-9277 or emailing ZavescaCares@actelion.com.

What is Zavesca?

Zavesca is a prescription medicine taken by mouth for adults with mild to moderate type 1 Gaucher disease. Zavesca is used only in people who cannot be treated with enzyme replacement therapy.

Zavesca Cares educators include a small team of trained nurses and dietitians, whom you or your caregiver can call for information to help answer important questions about topics like:

- **How to make the most** of taking Zavesca
- **What to expect** from your treatment with Zavesca
- **Healthy living tips** (to help manage gastrointestinal issues when taking Zavesca)
- **Understanding type 1 Gaucher disease**
- **Why following your healthcare provider's instructions is so important**
- **How Zavesca Cares can help** you and your caregiver

Zavesca Cares educators will contact you once you sign up. And, if you request further help, they can continue to reach out to you occasionally.

Signing up for Zavesca Cares is simple

- Complete the enclosed authorization to share personal health information, and fax it to 1-866-782-6163.
- You can return the signed form in the enclosed postage-paid envelope if you prefer.

Keep in mind that Zavesca Cares is a supplemental program. It cannot replace the advice and care of your healthcare team. Always consult your healthcare team if you have questions or concerns about your disease or treatment with Zavesca.

Important Safety Information About Zavesca

In clinical studies, the most common adverse events due to Zavesca included weight loss, diarrhea, and trembling in the hand (tremor). Other common adverse reactions were excess gas (flatulence), abdominal pain, and headache. The most common serious adverse reaction was tingling or numbness in the hands or feet with or without pain (peripheral neuropathy). Patients should undergo neurological examination at the start of treatment and every 6 months thereafter; Zavesca should be reassessed in patients who develop symptoms of peripheral neuropathy. Zavesca may cause fetal harm if administered to a pregnant woman. Men should maintain reliable contraceptive methods and not plan to father a child while taking Zavesca and for 3 months after discontinuing treatment.

Please see accompanying full prescribing information.



Important Safety Information About Zavesca

In clinical studies, the most common adverse events due to Zavesca included weight loss, diarrhea, and trembling in the hand (tremor). Other common adverse reactions were excess gas (flatulence), abdominal pain, and headache. The most common serious adverse reaction was tingling or numbness in the hands or feet with or without pain (peripheral neuropathy). Patients should undergo neurological examination at the start of treatment and every 6 months thereafter; Zavesca should be reassessed in patients who develop symptoms of peripheral neuropathy. Zavesca may cause fetal harm if administered to a pregnant woman. Men should maintain reliable contraceptive methods and not plan to father a child while taking Zavesca and for 3 months after discontinuing treatment.

Please see accompanying full prescribing information.



www.actelion.com



www.ZAVESCA.com