


Zavesca Cares Brochure

ZAV-00119

Size: 8.5" x 11"

4 page brochure

Front Cover



Inside Spread



Two pieces go inside the pocket

ZAVESCA Cares Consent Form

ZAV-00136

Size: 8.5" x 11"

Consent form for Zavesca Cares program, including sections for patient information, consent, and signature.

P.I.

ZAV-00103

Size: 4.75" x 2.875"



Back Cover



Envelope

ZAV-00134


Size: 8.8785" x 3.875"



Zavesca Cares[™]

One-on-one support for people
taking ZAVESCA[®] (miglustat)

Brought to you by Actelion Pharmaceuticals US, Inc.,
the company that makes ZAVESCA.



Please see Important Safety Information throughout this brochure and on back cover, and accompanying full Prescribing Information, including Patient Information.





What is ZAVESCA® (miglustat)?

ZAVESCA is a prescription medicine used alone to treat adults with mild to moderate type 1 Gaucher disease. ZAVESCA is used only in people who cannot be treated with enzyme replacement therapy.

It is not known if ZAVESCA is safe and effective in children under 18 years of age.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ZAVESCA?

ZAVESCA may cause serious side effects including:

- **Numbness, tingling, pain, or burning in your hands or feet (peripheral neuropathy).** Call your doctor right away if you get numbness, tingling, pain, or burning in your hands or feet.
Your doctor may test your nerves (neurological exam) before you start ZAVESCA and during treatment with ZAVESCA
- **New or worsening hand tremors (shaky movements).** Tremors are common with ZAVESCA and may begin within the first month of starting treatment. Sometimes the tremors may go away between 1 to 3 months with continued treatment. Your doctor may lower your dose or stop ZAVESCA if you develop new or worsening hand tremors. Call your doctor right away if you get new hand tremors while taking ZAVESCA or if the hand tremors you already have get worse
- **Diarrhea** is common with ZAVESCA and sometimes can be serious. Your doctor may prescribe another medicine (anti-diarrheal) to treat diarrhea if it is a problem for you and may recommend changes to your diet, such as avoiding foods high in carbohydrates. Talk with your doctor about your diet if you have diarrhea
- **Weight loss** is common with ZAVESCA and sometimes can be serious. You may lose weight when you start treatment with ZAVESCA
- **Low platelet count** is common with ZAVESCA and can be serious. Your doctor may do blood tests to monitor your blood platelet count

The most common side effects of ZAVESCA are:

- | | | |
|--------------------------------|------------------------------|---|
| • Weight loss | • Vision problems | • Loss of appetite |
| • Stomach pain | • Muscle cramps | • Indigestion |
| • Gas | • Back pain | • Numbness, tingling, pain, or burning of your skin |
| • Nausea and vomiting | • Constipation | • Stomach bloating |
| • Headache, including migraine | • Dry mouth | • Stomach pain not related to food |
| • Leg cramps | • Heaviness in arms and legs | • Menstrual changes |
| • Dizziness | • Memory loss | |
| • Weakness | • Unsteady walking | |

Please see additional Important Safety Information on back cover.



real people, real answers

***Zavesca Cares™* offers supplemental and educational support services related to your ZAVESCA therapy.**

You are eligible for *Zavesca Cares* if:

- You've been diagnosed with type 1 Gaucher disease
- You are taking ZAVESCA
- You are 18 years or older

Once you sign up (see directions below), you can reach a *Zavesca Cares* educator by calling 1-855-426-9277 or emailing ZavescaCares@actelion.com.

***Zavesca Cares* can provide information to help answer important questions.**

- How to make the most of taking ZAVESCA
- What to expect from ZAVESCA treatment
- Healthy living tips (to help manage gastrointestinal issues when taking ZAVESCA)
- Understanding type 1 Gaucher disease
- Why following your healthcare provider's instructions is so important
- How *Zavesca Cares* can help you and your caregiver

***Zavesca Cares* will contact you and assist you once you sign up.**

Signing up for *Zavesca Cares* is simple

- Complete the enclosed authorization form to share personal health information, and fax it to 1-866-782-6163
- You may return the signed form in the enclosed envelope if you prefer

Keep in mind that *Zavesca Cares* is a supplemental program. It cannot replace the advice and care of your healthcare team. Always consult your healthcare team if you have questions or concerns about your disease or treatment with ZAVESCA.



INDICATION AND IMPORTANT SAFETY INFORMATION

What is ZAVESCA® (miglustat)?

ZAVESCA is a prescription medicine used alone to treat adults with mild to moderate type 1 Gaucher disease. ZAVESCA is used only in people who cannot be treated with enzyme replacement therapy.

It is not known if ZAVESCA is safe and effective in children under 18 years of age.

What should I tell my doctor before taking ZAVESCA?

Before you take ZAVESCA tell your doctor if you:

- have kidney problems
- have any other medical conditions
- are pregnant or plan to become pregnant. It is not known if ZAVESCA will harm your unborn baby
- are breastfeeding or plan to breastfeed. It is not known if ZAVESCA passes into your breast milk. You and your doctor should decide if you will breastfeed or take ZAVESCA. You should not do both

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. ZAVESCA may affect how other medicines work.

Know the medicines you take. Keep a list of them to show your doctor and pharmacist when you get a new medicine.

How should I take ZAVESCA?

- Take ZAVESCA exactly as your doctor has prescribed

What are the possible side effects of ZAVESCA?

ZAVESCA may cause serious side effects including:

- **Numbness, tingling, pain, or burning in your hands or feet (peripheral neuropathy).** Call your doctor right away if you get numbness, tingling, pain, or burning in your hands or feet.
Your doctor may test your nerves (neurological exam) before you start ZAVESCA and during treatment with ZAVESCA
- **New or worsening hand tremors (shaky movements).** Tremors are common with ZAVESCA and may begin within the first month of starting treatment. Sometimes the tremors may go away between 1 to 3 months with continued treatment. Your doctor may lower your dose or stop ZAVESCA if you develop new or worsening hand tremors. Call your doctor right away if you get new hand tremors while taking ZAVESCA or if the hand tremors you already have get worse
- **Diarrhea** is common with ZAVESCA and sometimes can be serious. Your doctor may prescribe another medicine (anti-diarrheal) to treat diarrhea if it is a problem for you and may recommend changes to your diet, such as avoiding foods high in carbohydrates. Talk with your doctor about your diet if you have diarrhea
- **Weight loss** is common with ZAVESCA and sometimes can be serious. You may lose weight when you start treatment with ZAVESCA
- **Low platelet count** is common with ZAVESCA and can be serious. Your doctor may do blood tests to monitor your blood platelet count

The most common side effects of ZAVESCA are:

- Weight loss
- Stomach pain
- Gas
- Nausea and vomiting
- Headache, including migraine
- Leg cramps
- Dizziness
- Weakness
- Vision problems
- Muscle cramps
- Back pain
- Constipation
- Dry mouth
- Heaviness in arms and legs
- Memory loss
- Unsteady walking
- Loss of appetite
- Indigestion
- Numbness, tingling, pain, or burning of your skin
- Stomach bloating
- Stomach pain not related to food
- Menstrual changes

Tell your doctor if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of ZAVESCA. For more information, ask your doctor or pharmacist.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Please see accompanying full Prescribing Information, including Patient Information.



www.actelion.com

Zavesca Cares is a trademark of Actelion Pharmaceuticals, Ltd.
ZAVESCA is a registered trademark of Actelion Pharmaceuticals, Ltd.
© 2014 Actelion Pharmaceuticals US, Inc. All rights reserved. ZAV-00119 0514



www.zavesca.com